



TNTPO

STANDARD OPERATING PROCEDURE

for holding B2B Exhibitions

Chennai Trade Centre



SOP FOR HOLDING B2B TRADE EXHIBITIONS

Generic and precautionary measures for holding B2B Exhibitions. The measures to be followed by

- Venue Providers
- Fair / Exhibitions Organizers
- Service Providers
- Exhibitors
- Business Visitors / Delegates





SOP FOR HOLDING B2B TRADE EXHIBITIONS

General Preventive Measures



Physical distancing of at least 6 feet.



Mandatory face covers / masks.



Frequent practice of hand sanitization with alcohol-based sanitizers (for at least 20 seconds).



Respiratory etiquettes to be strictly followed.



Spitting shall be strictly prohibited.



Installation of 'Arogya Setu' app in smart mobiles to be mandatory.



Persons above 65 years, with co-morbidities, pregnant women and children (below 10 years) are advised to stay at home.



Reporting any illness at the earliest to state and district helpline.



SOP FOR HOLDING B2B TRADE EXHIBITIONS

Measures for Venue Providers



Installation of 'Aarogya Setu' app in smart mobiles to be mandatory.



Manned venue with optimal staff with adequate equipment like thermal guns and hand sanitizers at all entry/ exit gates.



All Security and cleaning staff should use Face Mask, Face Shield and Gloves.



Preferably multiple and separate entry and exits for visitors and adequate natural cross-ventilation to be ensured.





SOP FOR HOLDING B2B TRADE EXHIBITIONS



Digital payments must be encouraged.



Isolation centre should be created by the venue owner on a permanent basis.



The F&B outlets / counters shall mandatorily install glass partitions as a physical distancing measure. The serving personnel should wear masks and gloves.



A well- planned garbage disposal policy should be implemented.



To maintain social distancing guidelines 3.25 Sq.m per person in the halls may be permitted. (10,000 Sq.m hall should have a maximum of 3076 persons; a 5,000 Sq. m hall should have a maximum of 1538 persons).




SOP FOR HOLDING B2B TRADE EXHIBITIONS

Measures for Trade Exhibition Organisers



Fair / Exhibition Organizers should stagger the operational hours of exhibition so that there is organized gathering.



Physical distance of a minimum of 6 feet, when queuing up for entry and inside the venue as far as feasible. Specific marking for the purpose may be done at various places like, queues at entry and exit of halls, in front of registration desks, in front of booths / stalls in the passageways etc.



Regular announcement should regularly play recorded messages / announcements on the precautionary measures and good practices.



Encourage 'Namaste' greetings as a replacement to handshakes.



SOP FOR HOLDING B2B TRADE EXHIBITIONS



Ensuring availability of onsite doctors and ambulance.



Installation of Signage / boards at prominent locations for entrants about precautionary measures.



Business visitors should be given prior information on what they should carry, which includes face mask, water bottle, hand sanitizer.



Adequate number of ticket counters / registration counters shall be planned ensuring physical distancing norms.



Encourage use of technology to minimize human interface.



SOP FOR HOLDING B2B TRADE EXHIBITIONS



Monitor the number of business visitors / delegates in a particular hall by technology enabled / other means by tracking the inflow as well as outflow of visitors in real-time.



The Organizers will construct minimum of one Isolation Room of minimum 3m x 3m (Four sides & ceiling covered, with lockable door), which would be manned by the Fair Organizers stall adept in handling a COVID-19 patient and would have adequate facilities like PPE kit, face masks and sanitizers.



Ensure to identify and safely transfer the identified suspected COVID-19 patient to the isolation room.



Ensure that the paramedic ambulances for the event are manned by full-time doctor / healthcare staff / nurses with personal protective equipment.



SOP FOR HOLDING B2B TRADE EXHIBITIONS



The Fair / Exhibition Organiser shall set up and chair Core COVID-19 response team with involvement of senior officials of all service partners and venue.



The organizer should identify and convey emergency contact numbers to all the stakeholders on repeat basis till the exhibition dates.



Encourage online registration with the option of printing of entry badges at home. Further, QR Code may be generated during the registration and the entry can be allowed inside the hall by scanning the QR code by the Organizer.



SOP FOR HOLDING B2B TRADE EXHIBITIONS

Measures for service providers



Duly filled in Self health Declaration forms shall be collected from all Stand Fabricators.



Mandatory thermal scanning at entrance of the exhibition venue by maintaining social distancing.



While setting-up the Exhibition:

- **Arrange maximum pre-fabrication of the confirmed stand design at own premises.**
- **Ensure necessary social distancing among workers, supervisory staff etc.**



While Transporting the Prefabricated Materials to Exhibition Venue

- **Sanitize the delivery vehicle and all materials before landing.**



SOP FOR HOLDING B2B TRADE EXHIBITIONS



- **Driver and other personnel involved in transportation of material must ensure social distancing and wear all necessary PPE.**
- **Ensure contact-less transportation of materials to the exhibition venue.**



Sanitize the logistics and warehouse facilities along with all equipment before use by the workers.



During Pickup and Transportation:

- **Exhibitor goods shall be sanitized before packaging.**
- **Pick up and ensure contactless transportation of the exhibitor goods to the exhibition venue.**





SOP FOR HOLDING B2B TRADE EXHIBITIONS

Measures for Business Visitors / Delegates



Entry to the venue if their temperature is normal.



Frisking of persons entering the venue, if planned, shall be undertaken after thermal screening.



Entry allowed only if using face cover / masks.



Visitors should adhere to all the guidelines prescribed by the Trade Exhibition Organizer.